

Safety data sheet

according to 1907/2006/EC, Article 31





Printing date 03.07.2019

Revision: 03.07.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Degesch Plates/Strips
- **Authorisation No.:** ET/IN/R108/2012
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Plant protection product
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Detia Freyberg GmbH
Dr. Werner-Freyberg-Str. 11
D-69514 LAUDENBACH
GERMANY
- **Further information obtainable from:**
Detia Freyberg GmbH - Regulatory Affairs
telephone: +49-6201-708-0
e-mail: sicherheitsdatenblaetter@Detia-Freyberg.de
- **1.4 Emergency telephone number:**
Medical Emergency information in case of poisoning: Poison Information Center Mainz - Phone: +49 (0) 6131 19240 (advisory service 24/7 in German or English language)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
- 
GHS02 flame
 Water-react. 1 H260 In contact with water releases flammable gases which may ignite spontaneously.
- 
GHS06 skull and crossbones
 Acute Tox. 2 H300 Fatal if swallowed.
 Acute Tox. 2 H310 Fatal in contact with skin.
 Acute Tox. 1 H330 Fatal if inhaled.
- 
GHS09 environment
 Aquatic Acute 1 H400 Very toxic to aquatic life.
- 
GHS07
 Eye Irrit. 2 H319 Causes serious eye irritation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.07.2019

Revision: 03.07.2019

Trade name: Degesch Plates/Strips

(Contd. of page 1)

Hazard pictograms


GHS02 GHS06 GHS09

Signal word Danger

Hazard-determining components of labelling:

magnesium phosphide

Hazard statements

- H260 In contact with water releases flammable gases which may ignite spontaneously.
- H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled.
- H319 Causes serious eye irritation.
- H400 Very toxic to aquatic life.

Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P284 [In case of inadequate ventilation] wear respiratory protection.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.
- P335 Brush off loose particles from skin.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

- EUH029 Contact with water liberates toxic gas.
- EUH032 Contact with acids liberates very toxic gas.
- To avoid risks to human health and the environment, comply with the instructions for use.

2.3 Other hazards
Results of PBT and vPvB assessment

- PBT:** Not applicable.
- vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures
Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 12057-74-8	magnesium phosphide	>50–≤75%
EINECS: 235-023-7	Water-react. 1, H260; Acute Tox. 2, H300; Acute Tox. 3, H311; Acute Tox. 1, H330; Aquatic Acute 1, H400 (M=100)	

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.07.2019

Revision: 03.07.2019

Trade name: Degesch Plates/Strips

(Contd. of page 2)

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
 - **General information:**
Immediately remove any clothing soiled by the product.
Remove breathing equipment only after contaminated clothing have been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.
 - **After inhalation:**
Supply fresh air or oxygen; call for doctor.
In case of unconsciousness place patient stably in side position for transportation.
 - **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
 - **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
 - **After swallowing:** Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**
Breathing difficulty
Headache
Dizziness
Nausea
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
 - **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
 - **For safety reasons unsuitable extinguishing agents:** Water
- **5.2 Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **5.3 Advice for firefighters**
 - **Protective equipment:** Mouth respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.07.2019

Revision: 03.07.2019

Trade name: Degesch Plates/Strips

(Contd. of page 3)

· **6.4 Reference to other sections**

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

- Thorough dedusting.
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.

· **Information about fire - and explosion protection:**

- Keep ignition sources away - Do not smoke.
- Keep respiratory protective device available.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Do not store together with acids.
- **Further information about storage conditions:**
 - Keep container tightly sealed.
 - Store in cool, dry conditions in well sealed receptacles.

· **7.3 Specific end use(s)** No further relevant information available.

* **SECTION 8: Exposure controls/personal protection**

· **Additional information about design of technical facilities:** No further data; see item 7.

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:**

- The lists valid during the making were used as basis.
- Odor threshold for phosphine: 0.02 to 3 ppm depending on sensitivity.

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

· **Respiratory protection:**

- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.07.2019

Revision: 03.07.2019

Trade name: Degesch Plates/Strips

(Contd. of page 4)

· Protection of hands:


Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:


Tightly sealed goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties
· General Information
· Appearance:

Form: Solid

Colour: Grey

· Odour: Characteristic

· Odour threshold: Not determined.

· pH-value: Not applicable.

· Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: Undetermined.

· Flash point: Not applicable.

· Flammability (solid, gas): Contact with water liberates extremely flammable gases.

· Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Not determined.

· Explosion limits:

Lower: Not determined.

Upper: Not determined.

· Vapour pressure: Not applicable.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.07.2019

Revision: 03.07.2019

Trade name: Degesch Plates/Strips

(Contd. of page 5)

· Density at 20 °C:	~2.14862 g/cm ³
· Bulk density:	2,143–2,144 kg/m ³
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with water:	Insoluble.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
VOC (EC)	0.00 %
Solids content:	100.0 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
Contact with water releases flammable gases.
Contact with water releases toxic gases.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**
Fatal if swallowed, in contact with skin or if inhaled.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	8.93 mg/kg
Dermal	LD50	536 mg/kg
Inhalative	LC50/4 h	0.00893 mg/l

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.07.2019

Revision: 03.07.2019

Trade name: Degesch Plates/Strips

(Contd. of page 6)

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**
 Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
 Do not allow product to reach ground water, water course or sewage system, even in small quantities.
 Danger to drinking water if even extremely small quantities leak into the ground.
 Very toxic for aquatic organisms
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

HP 3	Flammable
HP 6	Acute Toxicity
HP 12	Release of an acute toxic gas
HP 14	Ecotoxic

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- **14.1 UN-Number**
- **ADR, IMDG, IATA** UN2011
- **14.2 UN proper shipping name**
- **ADR** 2011 MAGNESIUM PHOSPHIDE,
ENVIRONMENTALLY HAZARDOUS
- **IMDG** MAGNESIUM PHOSPHIDE, MARINE POLLUTANT
- **IATA** MAGNESIUM PHOSPHIDE

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.07.2019

Revision: 03.07.2019

Trade name: Degesch Plates/Strips

(Contd. of page 7)

· 14.3 Transport hazard class(es)
· ADR

· Class

4.3 Substances which, in contact with water, emit flammable gases.

· Label

4.3+6.1

· IMDG

· Class

4.3 Substances which, in contact with water, emit flammable gases.

· Label

4.3/6.1

· IATA

· Class

4.3 Substances which, in contact with water, emit flammable gases.

· Label

4.3 (6.1)

· 14.4 Packing group
· ADR, IMDG, IATA

I

· 14.5 Environmental hazards:
· Marine pollutant:

Yes

Symbol (fish and tree)

· Special marking (ADR):

Symbol (fish and tree)

· 14.6 Special precautions for user

Warning: Substances which, in contact with water, emit flammable gases.

· Danger code (Kemler):

-

· EMS Number:

F-G,S-N

· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

· Transport/Additional information:
· ADR
· Limited quantities (LQ)

0

· Excepted quantities (EQ)

Code: E0

Not permitted as Excepted Quantity

· Transport category

1

· Tunnel restriction code

E

· IMDG
· Limited quantities (LQ)

0

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.07.2019

Revision: 03.07.2019

Trade name: Degesch Plates/Strips

(Contd. of page 8)

· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 2011 MAGNESIUM PHOSPHIDE, 4.3 (6.1), I, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category**
H1 ACUTE TOXIC
O3 Substances or mixtures with hazard statement EUH029
E1 Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 20 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 40
- **National regulations:**
- **Information about limitation of use:**
Employment restrictions concerning juveniles must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H260 In contact with water releases flammable gases which may ignite spontaneously.
H300 Fatal if swallowed.
H311 Toxic in contact with skin.
H330 Fatal if inhaled.
H400 Very toxic to aquatic life.
- **Department issuing SDS:** Regulatory Affairs
- **Contact:** sicherheitsdatenblaetter@detia-freyberg.de
- **Abbreviations and acronyms:**
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 10)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.07.2019

Revision: 03.07.2019

Trade name: Degesch Plates/Strips

(Contd. of page 9)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Water-react. 1: Substances and mixtures which in contact with water emit flammable gases – Category 1

Acute Tox. 2: Acute toxicity – Category 2

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 1: Acute toxicity – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

· * **Data compared to the previous version altered.**

GB