

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Fumex

Print date: 20.09.2017

ID no.: 53

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Fumex

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Plant protection products

1.3. Details of the supplier of the safety data sheet

Company name: Detia Freyberg GmbH
Street: Dr.-Werner-Freyberg-Straße 11
Place: D-69514 Laudenbach
Telephone: +49-6201-708-0
e-mail: sicherheitsdatenblaetter@Detia-Freyberg.de
Telefax: +49-6201-708-427

1.4. Emergency telephone number:

Medical Emergency information in case of poisoning: Poison Information Center Mainz - Phone: +49 (0) 6131 19240 (advisory service 24/7 in German or English language)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture which in contact with water emits flammable gas: Water-react. 1

Acute toxicity: Acute Tox. 1

Acute toxicity: Acute Tox. 2

Acute toxicity: Acute Tox. 3

Hazardous to the aquatic environment: Aquatic Acute 1

Hazard Statements:

In contact with water releases flammable gases which may ignite spontaneously.

Fatal if swallowed.

Fatal if inhaled.

Toxic in contact with skin.

Very toxic to aquatic life.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word: Danger

Pictograms:



Hazard statements

H260 In contact with water releases flammable gases which may ignite spontaneously.
H300 Fatal if swallowed.
H330 Fatal if inhaled.
H311 Toxic in contact with skin.
H400 Very toxic to aquatic life.

Precautionary statements

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P321 Specific treatment (see first Aid on this label).
P501 This material and its container must be disposed of as hazardous waste. Observe in

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Fumex

Print date: 20.09.2017

ID no.: 53

Page 2 of 9

P402+P404	addition any national regulations!
P405	Store in a dry place. Store in a closed container.
P370+P378	Store locked up.
P301+P310	In case of fire: Use Sand; Extinguishing powder; Carbon dioxide to extinguish.
P335	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P280	Brush off loose particles from skin.
P273	Wear protective gloves/protective clothing/eye protection/face protection.
P234	Avoid release to the environment.
P232	Keep only in original container.
P223	Protect from moisture.
	Do not allow contact with water.

Special labelling of certain mixtures

EUH029	Contact with water liberates toxic gas.
EUH032	Contact with acids liberates very toxic gas.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Additional advice on labelling

Contact with water liberates toxic, extremely flammable gas. (Phosphine)

2.3. Other hazards

Fatal if swallowed or if inhaled.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
20859-73-8	aluminium phosphide	57 %
	244-088-0	
	Water-react. 1, Acute Tox. 2, Aquatic Acute 1 (M-Factor = 100); H260 H300 H400 EUH029 EUH032	
7803-51-2	phosphine	0 %
	232-260-8	
	015-181-00-1	
	Flam. Gas 1, Acute Tox. 2, Skin Corr. 1B, Aquatic Acute 1; H220 H330 H314 H400	

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Move victim out of danger zone. Call a physician immediately. Remove contaminated clothing immediately and dispose off safely.

After inhalation

in case of headache, dizziness, feeling of constriction, difficult breathing and nausea immediately leave the danger zone immediately and seek fresh air; consult a physician; inhale products for acute treatment following exposition of smoke gas (eg a beclometasone (Ventolair®) spray). Provide fresh air. In case of breathing difficulties administer oxygen. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Call a physician immediately.

After contact with skin

remove any rests by brushing; only then use water and soap for cleansing IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Call a physician immediately.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Fumex

Print date: 20.09.2017

ID no.: 53

Page 3 of 9

After contact with eyes

remove rests of preparation with fluff-free cloth; rinse with plenty of water and apply eye drops only after no more powdery residues are visible.

After ingestion

Never give anything by mouth to an unconscious person or a person with cramps. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Headache, dizziness, anxiety, difficulty breathing and nausea

4.3. Indication of any immediate medical attention and special treatment needed

If unconscious, call emergency physician. Special aids required for First Aid measures: have methyl prednisolon (application by physician) and products for acute treatment following exposition of smoke gas (eg a beclometasone (Ventolair®) spray) available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry sand, Extinguishing powder, Carbon dioxide (CO₂).

Unsuitable extinguishing media

Water. Foam.

5.2. Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air. Risk of selfignition.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit. Never use water.

Additional information

Never use water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Leave danger zone immediately, ensure adequate ventilation. Warn everybody in the danger zone. Put on respiratory equipment. Wear protective equipment. Keep away unprotected persons. Avoid dust formation. Avoid contact with the spilled product or contaminated surfaces. Provide adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Remove all sources of ignition. Provide adequate ventilation. To follow: Emergency procedures

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Explosion hazard. Avoid contamination of waters and soil with the product and large amounts of the contaminated wash water. Cover sewerage system. Inform competent authority if water or canalization contaminates with the product.

6.3. Methods and material for containment and cleaning up

Take up carefully when dry. Treat the recovered material as prescribed in the section on waste disposal. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleaning agents. Use suitable containers for disposal. Avoid dust formation.

6.4. Reference to other sections

8,

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe the Ordinance on Hazardous Substances (GefStoffV) and TRGS 500. These include general hygiene

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Fumex

Print date: 20.09.2017

ID no.: 53

Page 4 of 9

measures such as - Do not smoke, eat and eat in the working areas. - Wear protective gloves / protective clothing / eye protection. - Take contaminated clothing and protective equipment off before entering areas in which is eaten. - Avoid dust formation. If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust. Avoid contact with water. Never add water to this product.

Advice on protection against fire and explosion

Hold respiratory equipment ready. Keep away from water and acid. Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container dry. Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Keep container in a well-ventilated place. Observe TRGS 514 (Storage of very toxic and toxic substances). Store in tightly closed containers in a cool, dry place. Protect from moisture and water and acid. Keep locked up and out of the reach of children. Requirements for storage rooms and containers Special storage conditions: Avoid contact with water, humidity, acids VCI storage class: 4.3

Advice on storage compatibility

Do not store together with: Acid.

7.3. Specific end use(s)

TRGS 512

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7803-51-2	Phosphine	0.1	0.14		TWA (8 h)	WEL
		0.2	0.28		STEL (15 min)	WEL

Additional advice on limit values

Odour threshold for hydrogen phosphide: 0.02 up to 3 ppm, depending on the sensitivity 1b) Apply to TRGS 402

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

wear safety goggles according to EN 166:2001.

Hand protection

suitable gloves for example Nitril or Latex gloves (AQL: 1.5) tested according to EN- 374-2 and EN374- 3

Skin protection

suitable protective clothing according to BGR 189 (ATL: "Rules for the use of protective clothing")

Respiratory protection

respiratory equipment according to DIN EN 141, Type B, code colour grey

Environmental exposure controls

See Section 6 and 7

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Fumex

Print date: 20.09.2017

ID no.: 53

Page 5 of 9

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	developed with humidity, gaseous phosphine
Colour:	grey
Odour:	garlic-like

Test method

pH-Value: Test not required.

Changes in the physical state

Melting point:	> 500 °C
Initial boiling point and boiling range:	Test not required.
Sublimation point:	Test not required.
Flash point:	No data available

Flammability

Solid:	No data available
Gas:	No data available

Explosive properties

This information is not available.

Lower explosion limits:	1,8
Vapour pressure:	34,6 hPa
Density:	2,0147 g/cm ³

Solubility in other solvents

No data available

Viscosity / dynamic:	not applicable
Viscosity / kinematic:	not applicable
Flow time:	not applicable
Vapour density:	not applicable
Evaporation rate:	not applicable

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

In contact with water, a toxic and extremely flammable gas is developed. In contact with acids, a very toxic gas is developed.

10.2. Chemical stability

The product is stable under inert gas.

10.3. Possibility of hazardous reactions

In contact with atmospheric moisture, highly toxic phosphine is developed. Uncontrolled development of hydrogen phosphide can cause fires.

10.4. Conditions to avoid

see section 7

10.5. Incompatible materials

Protect against: moisture. Never add water to this product. Keep away from: acid. Reacts violently with water,

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Fumex

Print date: 20.09.2017

ID no.: 53

Page 6 of 9

liberating extremely flammable gases. Contact with acids liberates toxic gas. Keep/Store away from combustible materials. In contact with water, a toxic and extremely flammable gas is developed. In contact with acids, a very toxic gas is developed.

10.6. Hazardous decomposition products

Phosphorus hydride, phosphorus pentoxide, phosphoric acid, see also section 5.3

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Very toxic. Acute toxicity, oral. Acute toxicity, dermal.

CAS No	Chemical name			
	Exposure route	Dose	Species	Source
20859-73-8	aluminium phosphide			
	oral	LD50 8,7 mg/kg		
	dermal	LD50 900 mg/kg		
	inhalative (4 h) gas	LC50 0,015 ppm		
7803-51-2	phosphine			
	inhalative vapour	ATE 0,5 mg/l		
	inhalative aerosol	ATE 0,05 mg/l		

Irritation and corrosivity

Irritating to eyes.

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic life.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h] [d]	Species	Source
20859-73-8	aluminium phosphide				
	Acute fish toxicity	LC50 0,0097 mg/l	96 h		

12.2. Persistence and degradability

Decomposes in contact with water.

12.3. Bioaccumulative potential

The product decomposes spontaneously in water. Ecological information therefore only describes the effects of the decomposition products.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
20859-73-8	aluminium phosphide	0,9

12.4. Mobility in soil

The product decomposes spontaneously in water. Ecological information therefore only describes the effects of the decomposition products.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

WGK:3

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Fumex

Print date: 20.09.2017

ID no.: 53

Page 7 of 9

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Waste code product: 061301, Never use water.

Waste disposal used product after fumigation : 060316

empty but contaminated packaging : Rinse with water. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

061301 WASTES FROM INORGANIC CHEMICAL PROCESSES; wastes from inorganic chemical processes not otherwise specified; inorganic plant protection products, wood-preserving agents and other biocides.
Classified as hazardous waste.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	UN1397
14.2. UN proper shipping name:	ALUMINIUM PHOSPHIDE
14.3. Transport hazard class(es):	4.3+6.1
14.4. Packing group:	I
Hazard label:	4.3+6.1



Classification code:	WT2
Special Provisions:	507
Limited quantity:	0
Transport category:	1
Tunnel restriction code:	E

Other applicable information (land transport)

Limited quantity: E0.

Mailing: not allowed. Warning board: starting 20 kg net weight

Inland waterways transport (ADN)

14.4. Packing group:	I
-----------------------------	---

Other applicable information (inland waterways transport)

Limited quantity: E0

Marine transport (IMDG)

14.1. UN number:	UN1397
14.2. UN proper shipping name:	ALUMINIUM PHOSPHIDE
14.3. Transport hazard class(es):	4.3+6.1
14.4. Packing group:	I
Hazard label:	4.3+6.1

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Fumex

Print date: 20.09.2017

ID no.: 53

Page 8 of 9



Special Provisions: -
 Limited quantity: 0
 EmS: F-G, S-N

Other applicable information (marine transport)

Limited quantity: E0

Air transport (ICAO)

14.1. UN number: UN1397
14.2. UN proper shipping name: ALUMINIUM PHOSPHIDE
14.3. Transport hazard class(es): 4.3+6.1
14.4. Packing group: I
 Hazard label: 4.3+6.1



Limited quantity Passenger: Forbidden
 IATA-packing instructions - Passenger: Forbidden
 IATA-max. quantity - Passenger: Forbidden
 IATA-packing instructions - Cargo: 487
 IATA-max. quantity - Cargo: 15 kg

Other applicable information (air transport)

Limited quantity: E0
 Passenger-LQ: Forbidden
 Cargo Aircraft only

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): 2037/2000, 689/2008,

National regulatory information

Water contaminating class (D): 3 - highly water contaminating

SECTION 16: Other information

Relevant H and EUH statements (number and full text)

H220 Extremely flammable gas.
 H260 In contact with water releases flammable gases which may ignite spontaneously.
 H300 Fatal if swallowed.
 H311 Toxic in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H330 Fatal if inhaled.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

Fumex

Print date: 20.09.2017

ID no.: 53

Page 9 of 9

H400	Very toxic to aquatic life.
EUH029	Contact with water liberates toxic gas.
EUH032	Contact with acids liberates very toxic gas.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)